

From: [Mitchell, Tanya](#)
To: [Walls \(Young\), Suzy](#)
Cc: [Gary M. Fisher](#); [Draikiwicz, Michael \(michael.draikiwicz@novartis.com\)](#); "[\(pete.bergeron@chevron.com\)](#)"; [Persico, John](#)
Subject: RE: Rolling Knolls - FCR-08 Pore-water samples at MW-13
Date: Tuesday, June 16, 2015 10:01:16 AM

Confirmation of this email is requested.

Hi Suzy,

I have reviewed FCR-08 and it is not approved as submitted. The purpose of the FCR is to document changes in field activities that are inconsistent with the approved SAP/QAPP. As previously discussed with the Group and ARCADIS, a FCR is generally 1-2 pages. The primary purpose is to change MW-13 installation to pore water samples. The analytical parameters should be consistent with the approved analyses in the SAP Table 1. Please resubmit the FCR-08 with references to the SAP/QAPP. The attached emails should be deleted along with the references to emails in the FCR. It is appropriate to retain Figure 1 in the FCR.

A revised FCR-08 for MW-13 is requested within three days of receipt of this email. Should you have any questions or concerns regarding this email, please notify me receipt of this email.

Regards,

Tanya

From: Walls (Young), Suzy [mailto:Suzy.Walls@arcadis-us.com]

Sent: Tuesday, June 09, 2015 3:58 PM

To: Mitchell, Tanya

Cc: Ricci, Richard F.; Gary M. Fisher; Draikiwicz, Michael (michael.draikiwicz@novartis.com); 'pete.bergeron@chevron.com'; mfaigen@issuesllc.com; Persico, John; Gutherz, Andrew

Subject: Rolling Knolls - FCR-08 Pore-water samples at MW-13

Tanya,

The Field Change Request for the collection of porewater samples in place of MW-13 is attached.

Please let me know if you have any questions or comments.

Thanks,

Suzy

Suzy Walls | Ecologist / Certified Project Manager | suzy.walls@arcadis-us.com

ARCADIS U.S., Inc. | 114 Lovell Road, Suite 202 | Knoxville, TN, 37934

T. 865.777.3502 | M. 919.455.5413 | F. 865.675.6712

www.arcadis-us.com

